



# Seiscomp User Group 2011 – CENALT (CEA)



Liberté • Égalité • Fraternité  
RÉPUBLIQUE FRANÇAISE

Ministère  
de l'écologie,  
du  
Développement  
durable,  
des Transports  
et du Logement



Liberté • Égalité • Fraternité  
RÉPUBLIQUE FRANÇAISE

MINISTÈRE DE L'INTÉRIEUR,  
DE L'OUTRE-MER,  
DES COLLECTIVITÉS  
TERRITORIALES  
ET DE L'IMMIGRATION



# CENALT (CENTre d'ALerte aux Tsunamis)

[pierre.duperray@cea.fr](mailto:pierre.duperray@cea.fr)



IGN (espagne)



Intergovernmental  
Oceanographic  
Commission



INGV



INSTITUTO DE METEOROLOGIA, IP  
PORTUGAL



Universidad Complutense  
de Madrid



Real Instituto  
y Observatorio  
de la Armada (ROA)



- Mission
- People
- Network
- Data feed
  - Seismic network
  - Tide gauge network
- Hardware architecture
- Software used (alert workflow)



- Mandated by IOC (international project aspect)
- Mandated by Ministère de l'intérieur and Ministère de l'écologie
- Monitoring different basin
- Pre-operational early 2012
- Fully operational July 1st 2012
- 24/7 staff (7 operators)
- 15' to deliver the first alert message after the earthquake
- New building available October 2011



- Full time
  - National and international coordinator Francois Schindele
  - soft. engineer (telecom. data) Nicolas Alabrune
  - soft. engineer Pierre Duperray
  - scientist Audrey Gailler
  - 7 operators
- Part time (CEA people)
  - Project Manager Remy Bossu (EMSC Manager)
  - scientist (tsunami) Helene Hebert
  - scientist (tsunami modeling) Florence Defief
  - ...



# Seiscomp User Group 2011 – CENALT (CEA)


6 vsat (STS2 stations+GPRS backup link)  
+  
4 vsat CNRS/INSU



Teleport hub  
(Bercenay en Othe)




SHOM tide gauges  
ADSL or GPRS






# Seiscomp User Group 2011 – CENALT (CEA)





# Seiscomp User Group 2011 – CENALT (CEA)






Client1 (operator)



Client2






Cluster

- Clustering Goals:
  - restart service in case it is stopped
  - migrate service in case of hardware failure
  - => High availability (master/slave)
  - transparent for the application
- bonding
- multipath for storage (fiber channel)
- fencing
- electric redundancy
- monitoring (crystal, Nagios?)







# Seiscomp User Group 2011 – CENALT (CEA)



## Cassiopee (scenarii agregation)





## decision matrix for the mediterranean basin

depth	location	Mw	potential threat	type of bulletin	threat	
					Regional	Basin wide
< 100 km	under the sea or very near the sea <= 40 km	5.5 to 6.0	small potential for a destructive local tsunami	Information	Information	Information
		6.0 to 6.5	potential for a destructive local tsunami	Advisory	Advisory	Information
	under the sea or near the sea <= 100 km	6.5 to 7.0	potential for a destructive regional tsunami	Watch	Watch	Advisory
		>= 7.0	potential for a destructive basin-wide tsunami	Watch	Watch	Watch
>= 100 km	under the sea or near the sea <= 100 km	>= 5.5	null potential	Information	Information	Information



Seiscomp User Group 2011 – CENALT (CEA)

Thank you for your attention